

Resource Summary Report

Generated by [NIF](#) on Aug 29, 2026

SH-SY5Y

RRID:CVCL_0019

Type: Cell Line

Proper Citation

RRID:CVCL_0019

Cell Line Information

URL: https://web.expasy.org/cellosaurus/CVCL_0019

Proper Citation: RRID:CVCL_0019

Description: Cell line SH-SY5Y is a Cancer cell line with a species of origin Homo sapiens (Human)

Sex: Female

Disease: Neuroblastoma

Defining Citation: [PMID:1354203](#), [PMID:2535691](#), [PMID:2846152](#), [PMID:3968181](#), [PMID:4748425](#), [PMID:6137586](#), [PMID:7687927](#), [PMID:10630978](#), [PMID:11668190](#), [PMID:12505268](#), [PMID:14676279](#), [PMID:15150091](#), [PMID:15720811](#), [PMID:16120276](#), [PMID:16822308](#), [PMID:16957166](#), [PMID:17506115](#), [PMID:18957096](#), [PMID:20655465](#), [PMID:22213050](#), [PMID:22460905](#), [PMID:23421552](#), [PMID:24466371](#), [PMID:25182563](#), [PMID:25730103](#), [PMID:25884760](#), [PMID:26342562](#), [PMID:26972028](#), [PMID:27141528](#), [PMID:28118852](#), [PMID:28350380](#), [PMID:28601559](#), [PMID:29468137](#), [PMID:30894373](#), [PMID:31068700](#), [PMID:35893584](#)

Comments: Virology: Low susceptibility to infection by Zika virus (ZIKV) (PubMed=29468137)., Characteristics: Particularly suitable for research in neurodegenerative diseases due to the fact that it has a specific uptake of norepinephrine (NA), expresses bona fide neurofilament proteins, and shows activity of enzymes involved in catecholaminergic systems (tyrosine and dopamine-beta-hydroxylases) (PubMed=35893584)., Characteristics: There seem to be differences in the retinoic acid (RA)-induced neuronal phenotype of SH-SY5Y cells from ATCC and ECACC. After 5 days of RA treatment, ECACC cells are slightly larger in size and contains significant amount of neuroblastic (N-type) cells and a small fraction of epithelial (S-type) cells (PubMed=18957096)., Characteristics: Neuroblastic type (N-type) (PubMed=15720811)., Population: Caucasian., From: Memorial Sloan Kettering Cancer Center; New York; USA., Part of: Human Protein Atlas, Cell Atlas panel., Part of: ENCODE project common cell types; tier 3., Part of: Cancer Dependency Map project (DepMap) (includes Cancer Cell

Line Encyclopedia - CCLE)., Problematic cell line: Partially contaminated. Some laboratories that are redistributing this cell line are in fact redistributing a contaminated cell line of mouse origin (PubMed=25182563)..

Category: Cancer cell line

Organism: Homo sapiens (Human)

Name: SH-SY5Y

Synonyms: SH-Sy5y, SHSY5Y, SHSY-5Y, SK-SH-SY5Y, SY5Y, SH-SY5Y Parental

Cross References: BTO:BTO_0000793, CLO:CLO_0009015, EFO:EFO_0002717, MCCL:MCC:0000421, CLDB:cl4287, CLDB:cl4288, CLDB:cl4289, CLDB:cl4290, Abcam:ab275475, AddexBio:C0005004/63, ATCC:CRL-2266, BCRJ:0223, BioGRID_ORCS_Cell_line:1228, BioSample:SAMN10987717, cancercellines:CVCL_0019, CancerTools:161932, CCRID:1101HUM-PUMC000026, CCRID:3101HUMSCSP5014, CCRID:3101HUMTCHu97, CCRID:4201HUM-CCTCC00210, CCRID:4201PAT-CCTCC00086, CCRID:5301HUM-KCB06107YJ, CCTCC:GDC0210, Cell_Model_Passport:SIDM01236, CGH-DB:63-1, ChEMBL-Cells:ChEMBL3307740, ChEMBL-Targets:ChEMBL614910, CLS:300154, Cosmic:688084, Cosmic:1019933, Cosmic:1167410, Cosmic:1212536, Cosmic:2058109, Cosmic:2239470, Cosmic:2393641, DepMap:ACH-001188, DSMZ:ACC-209, DSMZCellDive:ACC-209, ECACC:94030304, ENCODE:ENCBS264AAA, GEO:GSM231608, GEO:GSM231609, GEO:GSM231610, GEO:GSM231611, GEO:GSM231612, GEO:GSM231613, GEO:GSM231614, GEO:GSM231615, GEO:GSM231616, GEO:GSM231617, GEO:GSM231618, GEO:GSM231619, GEO:GSM231620, GEO:GSM231621, GEO:GSM231622, GEO:GSM231623, GEO:GSM231624, GEO:GSM231625, GEO:GSM231626, GEO:GSM231627, GEO:GSM231628, GEO:GSM231629, GEO:GSM231630, GEO:GSM231631, GEO:GSM231632, GEO:GSM231633, GEO:GSM231634, GEO:GSM231635, GEO:GSM231636, GEO:GSM231637, GEO:GSM231638, GEO:GSM231639, GEO:GSM231640, GEO:GSM231641, GEO:GSM231642, GEO:GSM231643, GEO:GSM231644, GEO:GSM231645, GEO:GSM231646, GEO:GSM231647, GEO:GSM231648, GEO:GSM231649, GEO:GSM231650, GEO:GSM231651, GEO:GSM231652, GEO:GSM231653, GEO:GSM231654, GEO:GSM231655, GEO:GSM231656, GEO:GSM231657, GEO:GSM231658, GEO:GSM231659, GEO:GSM231660, GEO:GSM231661, GEO:GSM231662, GEO:GSM231663, GEO:GSM231664, GEO:GSM231665, GEO:GSM231666, GEO:GSM231667, GEO:GSM231668, GEO:GSM231669, GEO:GSM231670, GEO:GSM231671, GEO:GSM231672, GEO:GSM231673, GEO:GSM692874, GEO:GSM887570, GEO:GSM888653, GEO:GSM1622294, GEO:GSM2371253, GEO:GSM2394368, GEO:GSM7701455, GEO:GSM7701459, Hysigen:TCH-C325, IARC_TP53:23599, ICLC:HTL95013, IZSLER:BS TCL 232, KCB:KCB 2006107YJ, KCLB:22266, Kerafast:ECP004, LINCS_LDP:LCL-2000, Lonza:132, MetaboLights:MTBLS455, NCBI_Iran:C611, PharmacDB:SHSY5Y_1374_2019, PRIDE:PXD003105, PRIDE:PXD003914, PRIDE:PXD004452, PRIDE:PXD010005, PRIDE:PXD010027, PRIDE:PXD010776, PRIDE:PXD014381, PRIDE:PXD020389, PRIDE:PXD029012, Progenetix:CVCL_0019, PubChem_Cell_line:CVCL_0019, TOKU-E:3118, Ubigen:YC-D014, Wikidata:Q7390126

ID: CVCL_0019

Hierarchy: cvcl_0531

Record Creation Time: 20220427T221540+0000

Record Last Update: 20260829T235915+0000

Ratings and Alerts

No rating or validation information has been found for SH-SY5Y.

Warning: Problematic cell line: Partially contaminated. Some laboratories that are redistributing this cell line are in fact redistributing a contaminated cell line of mouse origin (PubMed=25182563).

Registration: Memorial Sloan Kettering Cancer Center Office of Technology Development; SK 810.

Virology: Low susceptibility to infection by Zika virus (ZIKV) (PubMed=29468137).

Characteristics: Particularly suitable for research in neurodegenerative diseases due to the fact that it has a specific uptake of norepinephrine (NA), expresses bona fide neurofilament proteins, and shows activity of enzymes involved in catecholaminergic systems (tyrosine and dopamine-beta-hydroxylases) (PubMed=35893584).

Characteristics: There seem to be differences in the retinoic acid (RA)-induced neuronal phenotype of SH-SY5Y cells from ATCC and ECACC. After 5 days of RA treatment, ECACC cells are slightly larger in size and contains significant amount of neuroblastic (N-type) cells and a small fraction of epithelial (S-type) cells (PubMed=18957096).

Characteristics: Neuroblastic type (N-type) (PubMed=15720811)., Population: Caucasian., From: Memorial Sloan Kettering Cancer Center; New York; USA., Part of: Human Protein Atlas, Cell Atlas panel., Part of: ENCODE project common cell types; tier 3., Part of: Cancer Dependency Map project (DepMap) (includes Cancer Cell Line Encyclopedia - CCLE)., Problematic cell line: Partially contaminated. Some laboratories that are redistributing this cell line are in fact redistributing a contaminated cell line of mouse origin (PubMed=25182563)..

Data and Source Information

Source: [Cellosaurus](#)

Usage and Citation Metrics

We found 7957 mentions in open access literature.

Listed below are recent publications. The full list is available at [NIF](#) .

Sawaya BE, et al. (2026) CK1??-dependent SNAPIN dysregulation drives lysosomal failure in HIV-1 Vpr-exposed neurons: A targetable mechanism in HAND. iScience, 29(2), 114544.

Ghoochani A, et al. (2026) Cell-type resolved protein atlas of brain lysosomes identifies SLC45A1-associated disease as a lysosomal disorder. *Cell*, 189(3), 765.

Wen X, et al. (2026) A Nanoparticle-Integrated Complete Manufacturing Pipeline of Chemically Engineered Exosomes. *Advanced science* (Weinheim, Baden-Wurttemberg, Germany), 13(32), e16075.

Nguyen N, et al. (2026) Transcranial microtesla magnetic fields suppress neuroinflammation and neuronal oxidative stress burden. *iScience*, 29(1), 114425.

Maqoud F, et al. (2026) Modulation of KATP channels by diazoxide preserves mitochondrial function and barrier integrity under staurosporine-induced epithelial stress. *British journal of pharmacology*, 183(12), 3213.

Klimiuk M, et al. (2026) Ferroptosis under fire: cannabidiol mitigates iron-dependent injury in differentiated human neuroblastoma cells following oxygen-glucose deprivation. *Phytomedicine : international journal of phytotherapy and phytopharmacology*, 152, 157868.

Wang W, et al. (2026) The rs713586 risk variant dysregulates ADCY3 rather than DNAJC27, leading to obesity through ZFP42-TET1-mediated DNA methylation. *EBioMedicine*, 123, 106112.

Luo S, et al. (2026) Neuronal PPP2R5C in plasma is a potential biomarker for early diagnosis of Alzheimer's disease. *Cell reports. Medicine*, 7(3), 102631.

Chaves GS, et al. (2026) Hypoxia Promotes an Adrenergic to Mesenchymal Transcriptional Program Transition in Neuroblastoma. *Clinical and translational science*, 19(3), e70508.

Mera-Reina C, et al. (2026) Therapeutic Targeting of Microglial Hexokinase-2 Recalibrates Inflammasome Activation and Improves Functional Recovery After Traumatic Brain Injury. *bioRxiv : the preprint server for biology*.

Kim EG, et al. (2026) Functional phenotyping of Agastache germplasm reveals antioxidant-neuroprotective linkages. *BMC plant biology*, 26(1).

Liu X, et al. (2026) Proximity labeling proteomics maps radial glial ciliary proteins across the developing telencephalon. *Cell reports*, 45(5), 117355.

Li X, et al. (2026) Salidroside Protects Against Simazine-Induced Neurotoxicity by Activating PINK1/Parkin Mitophagy. *International journal of molecular sciences*, 27(10).

Zhou E, et al. (2026) NDUFS6 promotes neuroblastoma progression and represents a potential therapeutic target. *Translational pediatrics*, 15(5), 187.

Kaewkaen P, et al. (2026) Volatile-Driven Antioxidant Activity of Pomelo Peel Essential Oil: Bridging Chemical Composition and Cellular Redox Modulation. *Biochemistry research international*, 2026, 7715893.

Wang F, et al. (2026) Optoacoustically augmented magnetic guidewire for radiation-free minimally invasive therapies. *Science advances*, 12(6), eaea0201.

Liu Z, et al. (2026) A LNK-CBL-HNRPA2B1-GPX4 signaling axis mediates dopaminergic neuron vulnerability to ferroptosis in Parkinson's disease. *Redox biology*, 90, 104039.

Li T, et al. (2026) Neuroprotective Effects of Time-Restricted Feeding Combined With Different Protein Sources in MPTP-Induced Parkinson's Disease Mice Model and Its Modulatory Impact on Gut Microbiota Metabolism. *Advanced science* (Weinheim, Baden-Wurttemberg, Germany), 13(19), e16502.

Di Lascio S, et al. (2026) Regulation of PHOX2B gene expression by the long non-coding natural antisense RNA PHOX2B-AS1. *The FEBS journal*, 293(12), 3502.

Chang YC, et al. (2026) Transcriptional regulation of human NMNAT2: insights from 3D genome sequencing and bioinformatics. *The FEBS journal*, 293(5), 1433.