

Resource Summary Report

Generated by [NIF](#) on Jul 31, 2026

Vimentin antibody [VI-01] (Dyomics 547)

RRID:AB_11174925

Type: Antibody

Proper Citation

GeneTex Cat# GTX79853, RRID:AB_11174925

Antibody Information

URL: http://antibodyregistry.org/AB_11174925

Proper Citation: GeneTex Cat# GTX79853, RRID:AB_11174925

Target Antigen: Vimentin antibody [VI-01] (Dyomics 547)

Host Organism: mouse

Clonality: monoclonal

Comments: Discontinued; manufacturer recommendations: Recommended Starting Dilutions: ICC/IF: Staining technique:RBL rat basophilic leukemia cell line:(a) Fix cells for 10 min in methanol at -20 degree and for 6 min in acetone at -20 degree; (b) Fix cells directly in methanol for 10 min at -20 degree or in acetone for 10 min at -20 degree.Incubation: 45 min RT. Positive Control:3T3 mouse Swiss albino fibroblast cell lineRBL rat basophilic leukemia cell line; Optimal dilutions should be determined experimentally by the researcher., Immunocytochemistry, Immunofluorescence, Western Blot. The usefulness of this product in other applications has not been determined., ICC, IF, WB; Western Blot; Immunofluorescence; Immunocytochemistry

Antibody Name: Vimentin antibody [VI-01] (Dyomics 547)

Description: This monoclonal targets Vimentin antibody [VI-01] (Dyomics 547)

Target Organism: feline, rat, hamster, donkey, porcine, canine, goat, horse, mammalian, mouse, rabbit, bovine, human, sheep

Antibody ID: AB_11174925

Vendor: GeneTex

Catalog Number: GTX79853

Record Creation Time: 20250819T230134+0000

Ratings and Alerts

No rating or validation information has been found for Vimentin antibody [VI-01] (Dyomics 547).

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Recommended Starting Dilutions: ICC/IF: Staining technique:RBL rat basophilic leukemia cell line:(a) Fix cells for 10 min in methanol at -20 degree and for 6 min in acetone at -20 degree; (b) Fix cells directly in methanol for 10 min at -20 degree or in acetone for 10 min at -20 degree.Incubation: 45 min RT. Positive Control:3T3 mouse Swiss albino fibroblast cell lineRBL rat basophilic leukemia cell line; Optimal dilutions should be determined experimentally by the researcher., Immunocytochemistry, Immunofluorescence, Western Blot. The usefulness of this product in other applications has not been determined., ICC, IF, WB; Western Blot; Immunofluorescence; Immunocytochemistry

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.