

Resource Summary Report

Generated by [NIF](#) on Sep 18, 2026

Goat Anti-Hamster IgG (H+L) Antibody, Alexa Fluor ?? 488 Conjugated

RRID:AB_141509

Type: Antibody

Proper Citation

Molecular Probes Cat# A-21110, RRID:AB_141509

Antibody Information

URL: http://antibodyregistry.org/AB_141509

Proper Citation: Molecular Probes Cat# A-21110, RRID:AB_141509

Target Antigen: Hamster IgG (H+L)

Host Organism: goat

Clonality: unknown

Comments: Discontinued; This product offered by Molecular Probes (Invitrogen), now part of Thermo Fisher:

Antibody Name: Goat Anti-Hamster IgG (H+L) Antibody, Alexa Fluor ?? 488 Conjugated

Description: This unknown targets Hamster IgG (H+L)

Target Organism: hamster

Antibody ID: AB_141509

Vendor: Molecular Probes

Catalog Number: A-21110

Alternative Catalog Numbers: A21110

Record Creation Time: 20231110T053329+0000

Record Last Update: 20260829T121201+0000

Ratings and Alerts

No rating or validation information has been found for Goat Anti-Hamster IgG (H+L) Antibody, Alexa Fluor ?? 488 Conjugated.

Warning: Discontinued at Molecular Probes
Discontinued; This product offered by Molecular Probes (Invitrogen), now part of Thermo Fisher:

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 5 mentions in open access literature.

Listed below are recent publications. The full list is available at [NIF](#) .

Makris S, et al. (2026) Protocol for isolating stromal cells from lymphoid tissue for performing scRNA-seq. STAR protocols, 7(2), 104501.

Bolini L, et al. (2024) Long-term recruitment of peripheral immune cells to brain scars after a neonatal insult. Glia, 72(3), 546.

Guendel F, et al. (2020) Group 3 Innate Lymphoid Cells Program a Distinct Subset of IL-22BP-Producing Dendritic Cells Demarcating Solitary Intestinal Lymphoid Tissues. Immunity, 53(5), 1015.

Choi J, et al. (2020) Inflammatory Signals Induce AT2 Cell-Derived Damage-Associated Transient Progenitors that Mediate Alveolar Regeneration. Cell stem cell, 27(3), 366.

Stone OA, et al. (2019) Paraxial Mesoderm Is the Major Source of Lymphatic Endothelium. Developmental cell, 50(2), 247.