

Resource Summary Report

Generated by [NIF](#) on Aug 1, 2026

Smad2/3 (C-8)

RRID:AB_2193048

Type: Antibody

Proper Citation

Santa Cruz Biotechnology Cat# sc-133098, RRID:AB_2193048

Antibody Information

URL: http://antibodyregistry.org/AB_2193048

Proper Citation: Santa Cruz Biotechnology Cat# sc-133098, RRID:AB_2193048

Target Antigen: Smad2/3 (C-8)

Host Organism: mouse

Clonality: monoclonal

Comments: validation status unknown check with seller; recommendations: WB, IP, IF, ELISA; Western Blot; Immunofluorescence; Immunoprecipitation; ELISA

Antibody Name: Smad2/3 (C-8)

Description: This monoclonal targets Smad2/3 (C-8)

Target Organism: rat, mouse, human

Antibody ID: AB_2193048

Vendor: Santa Cruz Biotechnology

Catalog Number: sc-133098

Record Creation Time: 20250819T215009+0000

Record Last Update: 20250820T001504+0000

Ratings and Alerts

- Independent validation by the NYU Lagone was performed for: IHC. This antibody was found to have the following characteristics: Functional in human:TRUE,

NonFunctional in human:FALSE, Functional in animal:TRUE, NonFunctional in animal:FALSE - NYU Langone's Center for Biospecimen Research and Development <https://med.nyu.edu/research/scientific-cores-shared-resources/center-biospecimen-research-development>

No alerts have been found for Smad2/3 (C-8).

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 9 mentions in open access literature.

Listed below are recent publications. The full list is available at [NIF](#) .

Han Y, et al. (2025) Identifying an optimal perturbation to induce a desired cell state by generative deep learning. Cell systems, 101405.

Barbeau MC, et al. (2025) The kinase ERK plays a conserved dominant role in the heterogeneity of epithelial-mesenchymal transition in pancreatic cancer cells. Science signaling, 18(899), eads7002.

Baro L, et al. (2024) Tumor invasiveness is regulated by the concerted function of APC, formins, and Arp2/3 complex. iScience, 27(5), 109687.

Meharwade T, et al. (2023) Cross-activation of FGF, NODAL, and WNT pathways constrains BMP-signaling-mediated induction of the totipotent state in mouse embryonic stem cells. Cell reports, 42(5), 112438.

Yang S, et al. (2023) Sp1-like protein KLF13 acts as a negative feedback regulator of TGF- β signaling and fibrosis. Cell reports, 42(4), 112367.

Lee SM, et al. (2023) Deep learning untangles the resistance mechanism of p53 reactivator in lung cancer cells. iScience, 26(12), 108377.

Szilágyi SS, et al. (2022) Competition between type I activin and BMP receptors for binding to ACVR2A regulates signaling to distinct Smad pathways. BMC biology, 20(1), 50.

Seo Y, et al. (2021) Novel positive allosteric modulator of protease-activated receptor 1 promotes skin wound healing in hairless mice. British journal of pharmacology, 178(17), 3414.

Hreha TN, et al. (2020) TGF β 1 orchestrates renal fibrosis following Escherichia coli pyelonephritis. Physiological reports, 8(6), e14401.