

Resource Summary Report

Generated by [NIF](#) on Aug 27, 2026

Mouse Anti-tubulin (alpha-) Antibody, Unconjugated

RRID:AB_579793

Type: Antibody

Proper Citation

DSHB Cat# AA4.3, RRID:AB_579793

Antibody Information

URL: http://antibodyregistry.org/AB_579793

Proper Citation: DSHB Cat# AA4.3, RRID:AB_579793

Target Antigen: Mouse tubulin (alpha-)

Host Organism: mouse

Clonality: unknown

Comments: manufacturer recommendations: IgG1, kappa light chain Immunoblotting

Antibody Name: Mouse Anti-tubulin (alpha-) Antibody, Unconjugated

Description: This unknown targets Mouse tubulin (alpha-)

Target Organism: guinea pig, amoeba/protozoa, animals (mammals, donkey, c. elegans/worm, mouse, non-human primate, plants, rabbit, protists, human, sheep, very wide, worms etc.), feline, rat, hamster, porcine, canine, goat, horse, plant, other mammalian, bovine

Antibody ID: AB_579793

Vendor: DSHB

Catalog Number: AA4.3

Record Creation Time: 20250820T052815+0000

Record Last Update: 20250820T213843+0000

Ratings and Alerts

No rating or validation information has been found for Mouse Anti-tubulin (alpha-) Antibody, Unconjugated.

No alerts have been found for Mouse Anti-tubulin (alpha-) Antibody, Unconjugated.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 30 mentions in open access literature.

Listed below are recent publications. The full list is available at [NIF](#) .

Lammert SD, et al. (2026) Increased Glycine-N-methyltransferase expression disrupts light-dependent gene expression rhythms in the Drosophila eye. *Journal of cell science*, 139(7).

Min S, et al. (2025) piRNAs safeguard splicing and RNA fidelity during heat shock. *bioRxiv* : the preprint server for biology.

Voglewede MM, et al. (2024) Loss of the polarity protein Par3 promotes dendritic spine neoteny and enhances learning and memory. *iScience*, 27(7), 110308.

Zeger M, et al. (2024) tsCRISPR based identification of Rab proteins required for the recycling of Drosophila TRPL ion channel. *Frontiers in cell and developmental biology*, 12, 1444953.

Metaxakis A, et al. (2023) Neuronal atg1 Coordinates Autophagy Induction and Physiological Adaptations to Balance mTORC1 Signalling. *Cells*, 12(16).

Rosado-Ramos R, et al. (2023) Genipin prevents alpha-synuclein aggregation and toxicity by affecting endocytosis, metabolism and lipid storage. *Nature communications*, 14(1), 1918.

Wang Q, et al. (2023) Hedgehog receptors exert immune-surveillance roles in the epidermis across species. *Cell reports*, 42(8), 112929.

Bui S, et al. (2023) Common Markers and Small Molecule Inhibitors in Golgi Studies. *Methods in molecular biology* (Clifton, N.J.), 2557, 453.

Palikaras K, et al. (2023) Age-dependent nuclear lipid droplet deposition is a cellular hallmark of aging in *Caenorhabditis elegans*. *Aging cell*, 22(4), e13788.

Gaspar CJ, et al. (2023) Xport-A functions as a chaperone by stabilizing the first five transmembrane domains of rhodopsin-1. *iScience*, 26(12), 108309.

Hargitai D, et al. (2022) Autophagy controls Wolbachia infection upon bacterial damage and in aging *Drosophila*. *Frontiers in cell and developmental biology*, 10, 976882.

McGann JC, et al. (2021) The Genome-Wide Binding Profile for Human RE1 Silencing Transcription Factor Unveils a Unique Genetic Circuitry in Hippocampus. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 41(31), 6582.

Das S, et al. (2021) Gene bookmarking by the heat shock transcription factor programs the insulin-like signaling pathway. *Molecular cell*, 81(23), 4843.

Das S, et al. (2020) Serotonin signaling by maternal neurons upon stress ensures progeny survival. *eLife*, 9.

Cohen-Berkman M, et al. (2020) Endogenous siRNAs promote proteostasis and longevity in germline-less *Caenorhabditis elegans*. *eLife*, 9.

Princz A, et al. (2020) SUMO promotes longevity and maintains mitochondrial homeostasis during ageing in *Caenorhabditis elegans*. *Scientific reports*, 10(1), 15513.

Cheung TP, et al. (2020) BK channel density is regulated by endoplasmic reticulum associated degradation and influenced by the SKN-1A/NRF1 transcription factor. *PLoS genetics*, 16(6), e1008829.

L??rincz P, et al. (2019) Vps8 overexpression inhibits HOPS-dependent trafficking routes by outcompeting Vps41/Lt. *eLife*, 8.

Oh KH, et al. (2019) BK channel clustering is required for normal behavioral alcohol sensitivity in *C. elegans*. *Scientific reports*, 9(1), 10224.

Moraru A, et al. (2018) Elevated Levels of the Reactive Metabolite Methylglyoxal Recapitulate Progression of Type 2 Diabetes. *Cell metabolism*, 27(4), 926.