

Resource Summary Report

Generated by [NIF](#) on Jul 31, 2026

CARD11 antibody

RRID:AB_10723805

Type: Antibody

Proper Citation

GeneTex Cat# GTX89813, RRID:AB_10723805

Antibody Information

URL: http://antibodyregistry.org/AB_10723805

Proper Citation: GeneTex Cat# GTX89813, RRID:AB_10723805

Target Antigen: CARD11 antibody

Host Organism: goat

Clonality: polyclonal

Comments: Discontinued; manufacturer recommendations: Approx 150+65kDa bands observed in lysates of cell line Jurkat (calculated MW of 133kDa according to NP_115791.2). A similar pattern was observed in HEK293 transiently expressing CARD11 (picture not shown). These bands are not observed in the non-transfected HEK293. Recommended concentration: 1-3µg/ml. An additional band of unknown identity was also consistently observed at 60kDa. This band was successfully blocked by incubation with the immunising peptide. We would appreciate any feedback from people in the field - have any such results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported? Immunohistochemistry: In paraffin embedded Human Spleen shows nuclear staining. Recommended concentration, 2-5µg/ml. ELISA, Immunoh

Antibody Name: CARD11 antibody

Description: This polyclonal targets CARD11 antibody

Target Organism: canine, cow, mouse, bovine, dog, human

Antibody ID: AB_10723805

Vendor: GeneTex

Catalog Number: GTX89813

Record Creation Time: 20250820T002239+0000

Record Last Update: 20250820T080640+0000

Ratings and Alerts

No rating or validation information has been found for CARD11 antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: Approx 150+65kDa bands observed in lysates of cell line Jurkat (calculated MW of 133kDa according to NP_115791.2). A similar pattern was observed in HEK293 transiently expressing CARD11 (picture not shown). These bands are not observed in the non-transfected HEK293. Recommended concentration: 1-3µg/ml. An additional band of unknown identity was also consistently observed at 60kDa. This band was successfully blocked by incubation with the immunising peptide. We would appreciate any feedback from people in the field - have any such results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported? Immunohistochemistry: In paraffin embedded Human Spleen shows nuclear staining. Recommended concentration, 2-5µg/ml. ELISA, Immunoh

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.