

Resource Summary Report

Generated by [NIF](#) on Jul 31, 2026

Histamine Receptor H2 antibody

RRID:AB_10726458

Type: Antibody

Proper Citation

GeneTex Cat# GTX89505, RRID:AB_10726458

Antibody Information

URL: http://antibodyregistry.org/AB_10726458

Proper Citation: GeneTex Cat# GTX89505, RRID:AB_10726458

Target Antigen: Histamine Receptor H2 antibody

Host Organism: goat

Clonality: polyclonal

Comments: Discontinued; manufacturer recommendations: ELISA; Preliminary experiments gave bands at approx 55kDa and a stronger 28kDa in Human Colon and Duodenum lysates after 0.1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the bands we observe given the calculated size of 40.1kDa according to NP_071640.1. Both detected bands were successfully blocked by incubation with the immunizing peptide (and BLAST results with the immunizing peptide sequence did not identify any other proteins to explain the additional bands). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported? Preliminary experiments in paraffin embedded tonsil, shows strongest staining in

Antibody Name: Histamine Receptor H2 antibody

Description: This polyclonal targets Histamine Receptor H2 antibody

Target Organism: rat, canine, mouse, dog, human

Antibody ID: AB_10726458

Vendor: GeneTex

Catalog Number: GTX89505

Record Creation Time: 20250819T224646+0000

Ratings and Alerts

No rating or validation information has been found for Histamine Receptor H2 antibody.

Warning: Discontinued at GeneTex

Discontinued; manufacturer recommendations: ELISA; Preliminary experiments gave bands at approx 55kDa and a stronger 28kDa in Human Colon and Duodenum lysates after 0.1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the bands we observe given the calculated size of 40.1kDa according to NP_071640.1. Both detected bands were successfully blocked by incubation with the immunizing peptide (and BLAST results with the immunizing peptide sequence did not identify any other proteins to explain the additional bands). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported? Preliminary experiments in paraffin embedded tonsil, shows strongest staining in

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We have not found any literature mentions for this resource.