Resource Summary Report

Generated by NIF on Jul 31, 2026

Goat anti-Rat IgG (H+L) Secondary Antibody, HRP

RRID:AB_2533965
Type: Antibody

Proper Citation

(Thermo Fisher Scientific Cat# 62-9520, RRID:AB_2533965)

Antibody Information

URL: http://antibodyregistry.org/AB_2533965

Proper Citation: (Thermo Fisher Scientific Cat# 62-9520, RRID:AB_2533965)

Target Antigen: Rat IgG (H+L)

Host Organism: goat

Clonality: polyclonal secondary

Comments: Applications: ELISA, IHC-P, IP, WB

Antibody Name: Goat anti-Rat IgG (H+L) Secondary Antibody, HRP

Description: This polyclonal secondary targets Rat IgG (H+L)

Target Organism: rat

Defining Citation: PMID:27309377, PMID:25462062, PMID:24637326

Antibody ID: AB_2533965

Vendor: Thermo Fisher Scientific

Catalog Number: 62-9520

Record Creation Time: 20251213T073502+0000

Record Last Update: 20260225T230618+0000

Ratings and Alerts

No rating or validation information has been found for Goat anti-Rat IgG (H+L) Secondary Antibody, HRP.

No alerts have been found for Goat anti-Rat IgG (H+L) Secondary Antibody, HRP.

Data and Source Information

Source: Antibody Registry

Usage and Citation Metrics

We found 5 mentions in open access literature.

Listed below are recent publications. The full list is available at NIF .

Tak YE, et al. (2022) Genome-wide functional perturbation of human microsatellite repeats using engineered zinc finger transcription factors. Cell genomics, 2(4).

Das A, et al. (2021) Inhibition of extracellular vesicle-associated MMP2 abrogates intercellular hepatic miR-122 transfer to liver macrophages and curtails inflammation. iScience, 24(12), 103428.

He QR, et al. (2021) The natural product trienomycin A is a STAT3 pathway inhibitor that exhibits potent in vitro and in vivo efficacy against pancreatic cancer. British journal of pharmacology, 178(12), 2496.

Simpson LM, et al. (2020) Inducible Degradation of Target Proteins through a Tractable Affinity-Directed Protein Missile System. Cell chemical biology, 27(9), 1164.

Crosby P, et al. (2019) Insulin/IGF-1 Drives PERIOD Synthesis to Entrain Circadian Rhythms with Feeding Time. Cell, 177(4), 896.