

Resource Summary Report

Generated by NIF on Jul 30, 2026

Purified anti-XBP-1s

RRID:AB_2562960

Type: Antibody

Proper Citation

BioLegend Cat# 658802, RRID:AB_2562960

Antibody Information

URL: http://antibodyregistry.org/AB_2562960

Proper Citation: BioLegend Cat# 658802, RRID:AB_2562960

Target Antigen: XBP-1s

Host Organism: mouse

Clonality: monoclonal

Comments: Applications: WB, ICC, ChIP

Info: Independent validation by the NYU Lagone was performed for: IHC. This antibody was found to have the following characteristics: Functional in human:FALSE, NonFunctional in human:FALSE, Functional in animal:FALSE, NonFunctional in animal:FALSE

Antibody Name: Purified anti-XBP-1s

Description: This monoclonal targets XBP-1s

Target Organism: mouse, human

Clone ID: Clone 9D11A43

Antibody ID: AB_2562960

Vendor: BioLegend

Catalog Number: 658802

Record Creation Time: 20250819T223602+0000

Record Last Update: 20250820T024304+0000

Ratings and Alerts

- Independent validation by the NYU Lagone was performed for: IHC. This antibody was found to have the following characteristics: Functional in human:FALSE, NonFunctional in human:FALSE, Functional in animal:FALSE, NonFunctional in animal:FALSE - NYU Langone's Center for Biospecimen Research and Development <https://med.nyu.edu/research/scientific-cores-shared-resources/center-biospecimen-research-development>

No alerts have been found for Purified anti-XBP-1s.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 4 mentions in open access literature.

Listed below are recent publications. The full list is available at [NIF](#) .

Terry AR, et al. (2023) CD36 maintains lipid homeostasis via selective uptake of monounsaturated fatty acids during matrix detachment and tumor progression. Cell metabolism, 35(11), 2060.

Martinez-Turtos A, et al. (2022) IRE1 γ overexpression in malignant cells limits tumor progression by inducing an anti-cancer immune response. Oncoimmunology, 11(1), 2116844.

Saito A, et al. (2018) Neuronal activity-dependent local activation of dendritic unfolded protein response promotes expression of brain-derived neurotrophic factor in cell soma. Journal of neurochemistry, 144(1), 35.

Sundaram A, et al. (2017) The Sec61 translocon limits IRE1 γ signaling during the unfolded protein response. eLife, 6.