

Resource Summary Report

Generated by [NIF](#) on Jul 28, 2026

Goat anti-Rabbit IgG H&L (Cy2 ®) secondary antibody

RRID:AB_954992

Type: Antibody

Proper Citation

Abcam Cat# ab6940, RRID:AB_954992

Antibody Information

URL: http://antibodyregistry.org/AB_954992

Proper Citation: Abcam Cat# ab6940, RRID:AB_954992

Target Antigen: Goat anti-Rabbit IgG H&L (Cy2 ®) secondary antibody

Host Organism: goat

Clonality: polyclonal

Comments: validation status unknown, seller recommendations provided in 2012: Immunohistochemistry - frozen; Immunofluorescence; Immunohistochemistry; Immunocytochemistry; Immunohistochemistry - fixed; Flow Cytometry; Western Blot; ELISA; ELISA, Flow Cyt, ICC, ICC/IF, IF, IHC-Fr, IHC-P, WB

Antibody Name: Goat anti-Rabbit IgG H&L (Cy2 ®) secondary antibody

Description: This polyclonal targets Goat anti-Rabbit IgG H&L (Cy2 ®) secondary antibody

Target Organism: rabbit, human

Antibody ID: AB_954992

Vendor: Abcam

Catalog Number: ab6940

Record Creation Time: 20250819T220353+0000

Record Last Update: 20250820T005925+0000

Ratings and Alerts

No rating or validation information has been found for Goat anti-Rabbit IgG H&L (Cy2 ®) secondary antibody.

No alerts have been found for Goat anti-Rabbit IgG H&L (Cy2 ®) secondary antibody.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 2 mentions in open access literature.

Listed below are recent publications. The full list is available at [NIF](#) .

Collins M, et al. (2020) RBM45 associates with nuclear stress bodies and forms nuclear inclusions during chronic cellular stress and in neurodegenerative diseases. Acta neuropathologica communications, 8(1), 91.

Yamazaki T, et al. (2018) Functional Domains of NEAT1 Architectural lncRNA Induce Paraspeckle Assembly through Phase Separation. Molecular cell, 70(6), 1038.