# **Resource Summary Report**

Generated by NIF on Apr 29, 2025

# **CGEN**

RRID:SCR\_001251

Type: Tool

### **Proper Citation**

CGEN (RRID:SCR\_001251)

#### **Resource Information**

URL: http://www.bioconductor.org/packages/release/bioc/html/CGEN.html

**Proper Citation:** CGEN (RRID:SCR\_001251)

**Description:** An R package for analysis of case-control studies in genetic epidemiology.

**Abbreviations: CGEN** 

Synonyms: CGEN - An R package for analysis of case-control studies in genetic

epidemiology

Resource Type: data analysis software, data processing software, software resource,

software application

**Defining Citation: PMID:21387464** 

Keywords: genetic, epidemiology, r, case-control, clustering, multiple comparison, snp

Funding:

Availability: GNU General Public License, v2

Resource Name: CGEN

Resource ID: SCR\_001251

Alternate IDs: OMICS\_02089

**Record Creation Time:** 20220129T080206+0000

**Record Last Update:** 20250429T054643+0000

## **Ratings and Alerts**

No rating or validation information has been found for CGEN.

No alerts have been found for CGEN.

#### Data and Source Information

Source: SciCrunch Registry

### **Usage and Citation Metrics**

We found 16 mentions in open access literature.

**Listed below are recent publications.** The full list is available at NIF.

Strabel T, et al. (2025) Association of pedigree indexes and genomic breeding values with the performance of Polish Holstein-Friesian cows. Journal of applied genetics, 66(1), 207.

Feitosa BF, et al. (2024) Room temperature storage of myrtle (Eugenia gracillima Kiaersk.) tropical juice: Effects of physical and chemical preservation methods. Heliyon, 10(17), e37270.

Higuchi CT, et al. (2023) Development of a Nanotechnology Matrix-Based Citronella Oil Insect Repellent to Obtain a Prolonged Effect and Evaluation of the Safety and Efficacy. Life (Basel, Switzerland), 13(1).

Hernandes C, et al. (2020) The Effect of Rutin and Extracts of Uncaria guianensis (Aubl.) J. F. Gmeland on Primary Endometriotic Cells: A 2D and 3D Study. Molecules (Basel, Switzerland), 25(6).

de Sá Coutinho D, et al. (2020) Pequi (Caryocar brasiliense Cambess)-Loaded Nanoemulsion, Orally Delivered, Modulates Inflammation in LPS-Induced Acute Lung Injury in Mice. Pharmaceutics, 12(11).

Alves JA, et al. (2020) Investigation of Copaifera genus as a new source of antimycobaterial agents. Future science OA, 6(7), FSO587.

Serra AT, et al. (2019) Scalable Culture Strategies for the Expansion of Patient-Derived Cancer Stem Cell Lines. Stem cells international, 2019, 8347595.

Damasceno JL, et al. (2019) Investigation of Safety Profile of Four Copaifera Species and of Kaurenoic Acid by Salmonella/Microsome Test. Evidence-based complementary and alternative medicine: eCAM, 2019, 7631531.

Furtado RA, et al. (2018) Assessment of genotoxic activity of oleoresins and leaves extracts of six Copaifera species for prediction of potential human risks. Journal of

ethnopharmacology, 221, 119.

Cunha L, et al. (2018) Optimization of Xylanase Production from Aspergillus foetidus in Soybean Residue. Enzyme research, 2018, 6597017.

de Oliveira UC, et al. (2018) Proteomic endorsed transcriptomic profiles of venom glands from Tityus obscurus and T. serrulatus scorpions. PloS one, 13(3), e0193739.

Borsoi M, et al. (2018) Hypericum polyanthemum cyclohexane extract potentiates behavioral effects and neurodegeneration induced by nigral infusions of 6-hydroxydopamine in rats. Neuroscience letters, 687, 177.

Møller P, et al. (2017) Cancer incidence and survival in Lynch syndrome patients receiving colonoscopic and gynaecological surveillance: first report from the prospective Lynch syndrome database. Gut, 66(3), 464.

Chaput L, et al. (2017) Efficient conformational sampling and weak scoring in docking programs? Strategy of the wisdom of crowds. Journal of cheminformatics, 9(1), 37.

Giri AK, et al. (2016) Common Variants in CLDN2 and MORC4 Genes Confer Disease Susceptibility in Patients with Chronic Pancreatitis. PloS one, 11(1), e0147345.

Kffuri CW, et al. (2016) Antimalarial plants used by indigenous people of the Upper Rio Negro in Amazonas, Brazil. Journal of ethnopharmacology, 178, 188.