# **Resource Summary Report**

Generated by NIF on Apr 19, 2025

## **HAPLO.STAT**

RRID:SCR\_009227

Type: Tool

### **Proper Citation**

HAPLO.STAT (RRID:SCR\_009227)

#### Resource Information

URL: http://mayoresearch.mayo.edu/mayo/research/biostat/schaid.cfm

**Proper Citation:** HAPLO.STAT (RRID:SCR\_009227)

**Description:** A suite of routines for the analysis of indirectly measured haplotypes. (entry

from Genetic Analysis Software)

Abbreviations: HAPLO.STAT

**Synonyms:** previously HAPLO.SCORE

**Resource Type:** software application, software resource

**Keywords:** gene, genetic, genomic, s-plus 6.1.2, r 1.7.1, unix

**Funding:** 

Resource Name: HAPLO.STAT

Resource ID: SCR\_009227

Alternate IDs: nlx\_154384

**Record Creation Time:** 20220129T080251+0000

**Record Last Update:** 20250419T055200+0000

## Ratings and Alerts

No rating or validation information has been found for HAPLO.STAT.

No alerts have been found for HAPLO.STAT.

#### **Data and Source Information**

Source: SciCrunch Registry

## **Usage and Citation Metrics**

We found 10 mentions in open access literature.

**Listed below are recent publications.** The full list is available at NIF.

Liu C, et al. (2014) A Promoter Region Polymorphism in PDCD-1 Gene Is Associated with Risk of Rheumatoid Arthritis in the Han Chinese Population of Southeastern China. International journal of genomics, 2014, 247637.

Masuko H, et al. (2011) An interaction between Nrf2 polymorphisms and smoking status affects annual decline in FEV1: a longitudinal retrospective cohort study. BMC medical genetics, 12, 97.

Klassert TE, et al. (2010) Common variants of the neuropeptide expressing tachykinin genes and susceptibility to asthma: a case-control study. Journal of neuroimmunology, 227(1-2), 202.

Cantor KP, et al. (2010) Polymorphisms in GSTT1, GSTZ1, and CYP2E1, disinfection by-products, and risk of bladder cancer in Spain. Environmental health perspectives, 118(11), 1545.

Zuo L, et al. (2009) Interaction between two independent CNR1 variants increases risk for cocaine dependence in European Americans: a replication study in family-based sample and population-based sample. Neuropsychopharmacology: official publication of the American College of Neuropsychopharmacology, 34(6), 1504.

Belbin O, et al. (2008) A SNP in the ACT gene associated with astrocytosis and rapid cognitive decline in AD. Neurobiology of aging, 29(8), 1167.

García-Closas M, et al. (2007) Large-scale evaluation of candidate genes identifies associations between VEGF polymorphisms and bladder cancer risk. PLoS genetics, 3(2), e29.

Meng Y, et al. (2006) Association of polymorphisms in the Angiotensin-converting enzyme gene with Alzheimer disease in an Israeli Arab community. American journal of human genetics, 78(5), 871.

Schaid DJ, et al. (2006) Exact tests of Hardy-Weinberg equilibrium and homogeneity of disequilibrium across strata. American journal of human genetics, 79(6), 1071.

Schaid DJ, et al. (2005) Nonparametric tests of association of multiple genes with human disease. American journal of human genetics, 76(5), 780.