

Resource Summary Report

Generated by [NIF](#) on Sep 19, 2026

Cytiva: Biacore 4000

RRID:SCR_023766

Type: Tool

Proper Citation

Cytiva: Biacore 4000 (RRID:SCR_023766)

Resource Information

URL: <https://www.cytivalifesciences.com/en/us/shop/protein-analysis/spr-label-free-analysis/spr-systems/biacore-4000-surface-plasmon-resonance-system-p-06144>

Proper Citation: Cytiva: Biacore 4000 (RRID:SCR_023766)

Description: High throughput Surface Plasmon Resonance system with high quality interaction data for better informed decision making in antibody selection, drug discovery and more., THIS RESOURCE IS NO LONGER IN SERVICE. Documented on September 16,2025.

Synonyms: , Biacore 4000, Biacore™ 4000 surface plasmon resonance system, Biacore TM 4000

Resource Type: instrument resource

Keywords: USEDit, Cytiva, surface plasmon resonance,

Availability: THIS RESOURCE IS NO LONGER IN SERVICE

Specification URL: https://raw.githubusercontent.com/SciCrunch/RRID-Instruments/main/PDF/SCR_023766.pdf

Resource Name: Cytiva: Biacore 4000

Resource ID: SCR_023766

Record Creation Time: 20230708T050227+0000

Record Last Update: 20260919T195538+0000

Ratings and Alerts

No rating or validation information has been found for Cytiva: Biacore 4000.

No alerts have been found for Cytiva: Biacore 4000.

Data and Source Information

Source: [SciCrunch Registry](#)

Usage and Citation Metrics

We found 1 mentions in open access literature.

Listed below are recent publications. The full list is available at [NIF](#) .

Nakazawa K, et al. (2023) Piperacetazine Directly Binds to the PAX3::FOXO1 Fusion Protein and Inhibits Its Transcriptional Activity. Cancer research communications, 3(10), 2030.