

Resource Summary Report

Generated by [NIF](#) on Jul 31, 2026

KLRG1 Monoclonal Antibody (2F1), PerCP-eFluor™ 710, eBioscience

RRID:AB_10670282

Type: Antibody

Proper Citation

(Thermo Fisher Scientific Cat# 46-5893-82, RRID:AB_10670282)

Antibody Information

URL: http://antibodyregistry.org/AB_10670282

Proper Citation: (Thermo Fisher Scientific Cat# 46-5893-82, RRID:AB_10670282)

Target Antigen: KLRG1

Host Organism: syrian hamster

Clonality: monoclonal

Comments: Applications: Flow

Antibody Name: KLRG1 Monoclonal Antibody (2F1), PerCP-eFluor™ 710, eBioscience

Description: This monoclonal targets KLRG1

Target Organism: mouse

Clone ID: Clone 2F1

Antibody ID: AB_10670282

Vendor: Thermo Fisher Scientific

Catalog Number: 46-5893-82

Alternative Catalog Numbers: 46-5893

Record Creation Time: 20251213T073203+0000

Record Last Update: 20260225T230336+0000

Ratings and Alerts

No rating or validation information has been found for KLRG1 Monoclonal Antibody (2F1), PerCP-eFluor™ 710, eBioscience.

No alerts have been found for KLRG1 Monoclonal Antibody (2F1), PerCP-eFluor™ 710, eBioscience.

Data and Source Information

Source: [Antibody Registry](#)

Usage and Citation Metrics

We found 19 mentions in open access literature.

Listed below are recent publications. The full list is available at [NIF](#).

Cortez VS, et al. (2025) IL-25-induced memory type 2 innate lymphoid cells enforce mucosal immunity. *Cell*.

Zhang Y, et al. (2025) Bile acid receptor FXR promotes intestinal epithelial ferroptosis and subsequent ILC3 dysfunction in neonatal necrotizing enterocolitis. *Immunity*, 58(3), 683.

Liu G, et al. (2025) ILC2 instructs neural stem and progenitor cells to potentiate neurorepair after stroke. *Neuron*, 113(11), 1741.

Cortez VS, et al. (2025) IL-25-induced memory ILC2s mediate long-term small intestinal adaptation. *bioRxiv : the preprint server for biology*.

Andrews LP, et al. (2024) LAG-3 and PD-1 synergize on CD8+ T cells to drive T cell exhaustion and hinder autocrine IFN- γ -dependent anti-tumor immunity. *Cell*, 187(16), 4355.

Ngiow SF, et al. (2024) LAG-3 sustains TOX expression and regulates the CD94/NKG2-Qa-1b axis to govern exhausted CD8 T cell NK receptor expression and cytotoxicity. *Cell*, 187(16), 4336.

Tachó-Piñot R, et al. (2023) Bcl6 is a subset-defining transcription factor of lymphoid tissue inducer-like ILC3. *Cell reports*, 42(11), 113425.

Dean JW, et al. (2023) The aryl hydrocarbon receptor cell intrinsically promotes resident memory CD8+ T cell differentiation and function. *Cell reports*, 42(1), 111963.

Cao Y, et al. (2023) Dopamine inhibits group 2 innate lymphoid cell-driven allergic lung inflammation by dampening mitochondrial activity. *Immunity*, 56(2), 320.

Ferreira ACF, et al. (2023) Neuroprotective protein ADNP-dependent histone remodeling complex promotes T helper 2 immune cell differentiation. *Immunity*, 56(7), 1468.

Bajana S, et al. (2022) Correlation between circulating innate lymphoid cell precursors and thymic function. *iScience*, 25(2), 103732.

Yee Mon KJ, et al. (2021) MicroRNA-29 specifies age-related differences in the CD8+ T cell immune response. *Cell reports*, 37(6), 109969.

Huang X, et al. (2021) Differential usage of transcriptional repressor Zeb2 enhancers distinguishes adult and embryonic hematopoiesis. *Immunity*, 54(7), 1417.

Zenke S, et al. (2020) Quorum Regulation via Nested Antagonistic Feedback Circuits Mediated by the Receptors CD28 and CTLA-4 Confers Robustness to T Cell Population Dynamics. *Immunity*, 52(2), 313.

He J, et al. (2019) IRF-7 Is a Critical Regulator of Type 2 Innate Lymphoid Cells in Allergic Airway Inflammation. *Cell reports*, 29(9), 2718.

Walker JA, et al. (2019) Polychromic Reporter Mice Reveal Unappreciated Innate Lymphoid Cell Progenitor Heterogeneity and Elusive ILC3 Progenitors in Bone Marrow. *Immunity*, 51(1), 104.

Fu Z, et al. (2019) Requirement of Mitochondrial Transcription Factor A in Tissue-Resident Regulatory T Cell Maintenance and Function. *Cell reports*, 28(1), 159.

Smith NL, et al. (2018) Developmental Origin Governs CD8+ T Cell Fate Decisions during Infection. *Cell*, 174(1), 117.

Oldenhove G, et al. (2018) PD-1 Is Involved in the Dysregulation of Type 2 Innate Lymphoid Cells in a Murine Model of Obesity. *Cell reports*, 25(8), 2053.